EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1	"7103625".pn.	USPAT	OR	OFF	2008/12/18 10:40
\$2	15	("4914619" "5067072" "5067072" "5067072" "5365606" "5802590" "5802590" "591582" "591582" "591582" "6016500" "6058414" "6108715" "6247057" "6363497"). PN. OR ("7103625"). UJRN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/12/18
83	1826	(virtualiz\$5 or virtual) adj3 resource and ("705".clas. or "707". clas. or "709".clas. or "711".clas. or "715". clas. or "717".clas. or "718".clas.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/18 10:40
S4	17	(virtualiz\$5 or virtual) ad]3 resource same user ad]2 (isolat\$3) and ("705".clas. or "707". clas. or "709".clas. or "711".clas. or "715". clas. or "717".clas. or "718".clas. or	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/18
S5	111	(virtualiz\$5 or virtual) ad]3 resource with user ad]2 (isolat\$3) and ("705".clas. or "707". clas. or "709".clas. or "711".clas. or "715". clas. or "717".clas. or "718".clas.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/18 10:40
S6	59	(virtualiz\$5 or virtual) adj3 resource with (isolat \$3) and ("705" clas. or "707" clas. or "709". clas. or "711" clas. or "715" clas. or "717". clas. or "718" clas.)	US-PCIPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/18

S7	48	(virtualiz\$5 or virtual) adj3 resource with (isolat \$3) and ("705" clas. or "707" clas. or "709". clas. or "711" clas. or "715" clas. or "717". clas. or "718" clas.) not \$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/18 10:40
S8	46	(virtualiz\$5 or virtual) adj2 resource with (isolat \$3) and ("705".clas. or "707".clas. or "709". clas. or "711".clas. or "715".clas. or "717". clas. or "718".clas.) not S5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/18 10:40
S9	12	(virtualiz\$5 or virtual) adj2 "system resource" same (isolat\$3) and ("705".clas. or "707". clas. or "709".clas. or "711".clas. or "715". clas. or "717".clas. or "718".clas. or	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/18 10:40
S10	24	(virtualiz\$5 or virtual) adj3 resource near4 (isolat\$3) and ("705". clas. or "707".clas. or "709".clas. or "711". clas. or "715".clas. or "717".clas. or "718".	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/18 10:40
S11	14	(virtualiz\$5 or virtual) adj3 resource near4 (isolat\$3) and ("705". clas. or "707".clas. or "709".clas. or "711". clas. or "715".clas. or "717".clas. or "715". clas.) not (\$9 or \$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/18
S12	4	"20050065937".pn. "7203941".pn. "4253145".pn. "7206819".pn.	US-PGPUB; USPAT	OR	OFF	2008/12/18 10:40
S13	26	"native resource" with isolat\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/18 10:40

S14	O	"200300101292".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/18 10:40
S15	2	"20030101292".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/18 10:40
S16	185	isolat\$3 near2 (environment) near4 user	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/18 10:40
S17	39	isolat\$3 near2 (environment) near4 user same (virtual or virtualiz\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/18 10:40
S18	21	isolat\$3 near2 (environment) near4 user with (virtual or virtualiz\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/18 10:40
S19	29	isolat\$3 near2 (environment or scope) near4 user with (virtual or virtualiz\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/18 10:40
S20	9	isolat\$3 near2 (environment or scope) near4 user with (virtual or virtualiz\$5) and "707". clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/18 10:40
S21	2	isolat\$3 near2 (environment or scope) near4 user with (virtual or virtualiz\$5) and "707/1".ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM TDB	OR	ON	2008/12/18 10:40

S22	20	isolat\$3 near2 (scope) near4 user with (virtual or virtualiz\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/18 10:40
S23	188	isolat\$3 near2 (scope or environment) with (virtual or virtualiz\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/18 10:40
S24	123	isolat\$3 near2 (scope or environment) with (virtual or virtualiz\$5) and ("705".clas. or "707".clas. or "709". clas. or "711".clas. or "715".clas. or "717". clas. or "718".clas.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/18 10:40
\$25	106	isolat\$3 near2 (scope or environment) with (virtual or virtualiz\$5) and ("705".clas. or "709". clas. or "711".clas. or "715".clas. or "717". clas. or "718".clas.) not \$22	US PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/18 10:40
S26	69	isolat\$3 near2 (scope or environment) near4 (virtual or virtualiz\$5) and ("705".clas. or "707".clas. or "709". clas. or "711".clas. or "715".clas. or "717". clas. or "718".clas.) not S22	US-PGPUB; USPAT; USOCR; FPPS; EPO; JPO; DERWIENT; IBM_TDB	OR	ON	2008/12/18 10:40
\$27	4	isolat\$3 near2 (scope or environment) near4 (virtual or virtualiz\$5) with instance and ("705". clas. or "707".clas. or "709".clas. or "711". clas. or "715".clas. or "717".clas. or "718". clas.) not \$22	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/18 10:40

\$28	18	isolat\$3 near2 (scope or environment) with (virtual or virtualix\$5) with resource and ("705".clas. or "707". clas. or "709".clas. or "711".clas. or "715". clas. or "717".clas. or "718".clas.) not \$22	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/18 10:40
S29	5	isolat\$3 near2 (scope or environment) with (virtual or virtualiz\$5) with system adj resource and ("705". clas. or "707".clas. or "709".clas. or "711". clas. or "715".clas. or "717".clas. or "718". clas.) not \$22	US-PGPUB; USPAT; USPAT; USPOCR; FPPRS; EPPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/18 10:40
\$30	113	isolat\$3 near2 (scope or environment) with (virtual or virtualiz\$5) with resource and ("705".clas. or "707". clas. or "709".clas. or "711".clas. or "715". clas. or "717".clas. or "718".clas.) not (\$22 or \$29)	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/18 10:40
S31	35	isolat\$3 near2 (scope or environment) with (virtual or virtualiz\$5) with resource and ("705".clas. or "707". clas. or "709".clas. or "711".clas. or "715". clas. or "717".clas. or "718".clas.)	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/18
S32	17	(native or system) adj resource with isolat\$3 near4 (soxoe) and ("705".clas. or "707". clas. or "709".clas. or "711".clas. or "715". clas. or "717".clas. or "718".clas.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/18 10:40

S33	0	(native or system) adj resource with isolat\$3 near4 (scope) and ("705".clas. or "707". clas. or "709".clas. or "711".clas. or "715". clas. or "717".clas. or "718".clas.) not \$31	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/18 10:40
S34	0	(native or system) adj resource with (virtualiz \$5) with (scope) and ("705".clas. or "707". clas. or "709".clas. or "711".clas. or "715". clas. or "717".clas. or "718".clas.) not S31	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/18 10:40
\$35	57	(native or system) adj resource with (scope) and ("705".clas. or "707".clas. or "707".clas. or "711".clas. or "715".clas. or "717".clas. or "717".clas. or "718".clas.) not S31	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/18 10:40
S36	1	(native or system) adj resource with user near3 (scope) and ("705".clas. or "707". clas. or "709".clas. or "711".clas. or "717".clas. or "718".clas.) not S31	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/18 10:40
\$37	4	resource with (virtualiz \$5) with (scope) and ("705".clas. or "707". clas. or "709".clas. or "711".clas. or "715". clas. or "717".clas. or "718".clas.) not S31	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/18 10:40
\$38	168	(native or system) adj resource with isolat\$3 and ("705".clas. or "707".clas. or "707".clas. or "719". clas. or "711".clas. or "715".clas. or "717".clas.) not S31	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/18 10:40

S3 9	85	(native or system) adj resource near4 isolat\$3 and ("705".clas. or "709". clas. or "711".clas. or "715".clas. or "717". clas. or "718".clas.) not \$31	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/18 10:40
S40	76	(native or system) adj resource near4 virtualiz \$5 and ("705".clas. or "707".clas. or "709". clas. or "711".clas. or "715".clas. or "717". clas. or "718".clas.) not S31	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/18 10:40
S41	14	(native or system) adj resource near4 virtualiz \$5 with user and ("705". clas. or "707".clas. or "709".clas. or "711". clas. or "715".clas. or "717".clas. or "718". clas.) not S31	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/18 10:40
S42	0	(native or system) adj resource with virtualiz\$5 with scope and ("705". clas. or "707".clas. or "709".clas. or "711". clas. or "715".clas. or "717".clas. or "718". clas.) not S31	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/18 10:40
S43	175	(native or system) adj resource with isolat\$3 and ("705".clas. or "707".clas. or "709". clas. or "711".clas. or "715".clas. or "717". clas. or "718".clas. or "719".clas.) not \$31	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/18 10:40
S44	14	(native or system) adj resource with isolat\$3 with (virtual or virtualiz \$5) and ("705".clas. or "70".clas. or "711".clas. or "715".clas. or "717". clas. or "718".clas. or "719".clas.) not S31	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/18 10:40

S45	318	(native or system) adj resource near4 (virtual or virtualiz\$5) and ("705".clas. or "707". clas. or "709".clas. or "711".clas. or "715". clas. or "717".clas. or "718".clas. or "719". clas.) not S31	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR		2008/12/18
S46	69	(native or system) adj resource near4 (virtual or virtualiz55) near4 application and ("705". clas. or "707".clas. or "719". clas. or "715".clas. or "717".clas. or "718". clas. or "719".clas.) not S31	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DEHWENT; IBM_TDB	OR	ON	2008/12/18 10:40
S47	1	(native or system) adj resource same (virtual or virtuall255 same (application or user) adj scope and ("705".clas. or "707".clas. or "709". clas. or "711".clas. or "715".clas. or "718".clas. or "719".clas. or 319".clas. or	US-PGPUB; USPAT; USCOR; FPRS; EPO; JPO; DEHWENT; IBM_TDB	OR	ON	2008/12/18 10:40
S48		(native or system) adj resource same (virtual or virtualiz55) same (application or usen) adj scope and ("705" clas. or "707". clas. or "711".clas. or "715". clas. or "715".clas. or "715". clas. or "716".clas. or "716	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/18
S4 9	O	(native or system) adj resource same (application or user) adj scope and ("705".clas. or "707".clas. or "709". clas. or "711".clas. or "715".clas. or "715".clas. or "719".clas.) not (S31 or S47)	US-PCPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/18 10:40

S50	18	(native or system) adj resource same (application or user) near2 scope and ("705". clas. or "707".clas. or "709".clas. or "711". clas. or "715".clas. or "717".clas. or "718".clas.) not (S31 or S47)	US-PGPUB; USPAT; USOCR; FPRS; EFO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/18 10:40
S51	3	(native or system) adj resource with (application or user) near2 scope and ("705". clas. or "707".clas. or "709".clas. or "711". clas. or "715".clas. or "717".clas. or "718". clas. or "719".clas.) not (S31 or S47)	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/18 10:40
S52	6	(native or system) adj2 resource with (application or user) near2 scope and ("705". clas. or "707".clas. or "705".clas. or "715".clas. or "715".clas. or "717".clas. or "716".clas. or "719".clas. or "719".clas. or "719".clas. or "718".clas. or "719".clas. or "718".clas. or "719".clas. or "71	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/18 10:40
S53	39	(native or system) adj resource same (application or user) near2 scope not (S31 or S47)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/18 10:40
S54	36	(native or system) adj resource same (application or user) near2 scope not (S31 or S47 or S52)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/18 10:40
S55	6	(native or system) adj resource with (application or user) near2 scope not (S31 or S47 or S52)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/18 10:40

S56	19	resource same (application or user) adj scope and ("705".clas. or "707".clas. or "709". clas. or "711".clas. or "715".clas. or "717". clas. or "718".clas. or "719".clas.) not (S31 or S47)	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/18
S57	8	resource with (application or user) adj scope and ("705".clas. or "707".clas. or "709". clas. or "711".clas. or "715".clas. or "717". clas. or "718".clas. or "719".clas.) not (S31 or S47)	US-PGPUB; USPAT; USOCR; FPRS; EFO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/18 10:40
S58	2	(virtual or virtualiz\$5) same resource same (application or user) adj scope and ("705".clas. or "707".clas. or "707".clas. or "711".clas. or "711".clas. or "715".clas. or "715".clas. or "716".clas. or "718".clas. or "718".clas. or "547)	US-PGPUB; USPAT; USCOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/18 10:40
S59	3	(virtual or virtualiz\$5) same resource same (application or user) adj scope not (\$31 or \$47)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/18 10:40
S60	136	(native or system) adj2 resource near3 instance and ("705".clas. or "707".clas. or "709" clas. or "715".clas. or "711".clas. or "715".clas. or "718".clas. or "719".clas. o	US-PGPUB; USPAT; USOCR; FPRS; EFO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/18 10:40

S61	18	(native or system) adj2	US-PGPUB;	OR	ON	2008/12/18
		resource near3 instance	USPAT;			10:40
		same (virtual or virtualiz	USOCR; FPRS;			
		\$5 or scope) and ("705".	EPO; JPO;			
		clas. or "707".clas. or	DERWENT;			
		"709".clas. or "711".	IBM_TDB			
		clas. or "715".clas. or				
		"717".clas. or "718".				
		clas. or "719".clas.) not		i		
		(S31 or S47)				

12/18/2008 3:36:31 PM

C:\ Documents and Settings\ jmorrison\ My Documents\ EAST\ Workspaces\ 10711737-final2. wsp